



# NYCO

## NYCO GREASE GN 05

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 19/10/2012 Revision date: 24/04/2024 Supersedes version of: 26/05/2023 Version: 3.7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Trade name : NYCO GREASE GN 05  
Product code : GN05-1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use  
Use of the substance/mixture : Grease  
Function or use category : Lubricant

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

NYCO  
66 Avenue des Champs Elysées - BP414  
75366 Paris Cedex 08  
France  
T +33 (0)1 45 61 50 00  
[info@nyco-group.com](mailto:info@nyco-group.com), [www.nyco-group.com](http://www.nyco-group.com)

### 1.4. Emergency telephone number

Emergency number : +33 (0)1 45 42 59 59  
INRS/ORFILA (France) : 33 1 45 42 59 59

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aquatic Chronic 3 H412  
Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P273 - Avoid release to the environment.  
EUH-statements : EUH208 - Contains N-phenyl-1-Naphthylamine. May produce an allergic reaction.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Silicon dioxide	CAS-No.: 112945-52-5 EC-No.: 231-545-4 REACH-no: 01-2119379499-16	0 – 2,5	Not classified
Disodium sebacate	CAS-No.: 17265-14-4 EC-No.: 241-300-3 REACH-no: 01-2120762063-61	0 – 2,5	Eye Irrit. 2, H319
N-phenyl-1-Naphthylamine	CAS-No.: 90-30-2 EC-No.: 201-983-0 REACH-no: 01-2119488704-27	0 - 0,99	Acute Tox. 4 (Oral), H302 (ATE=1625 mg/kg bodyweight) Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenol,isopropylated,phosphate	CAS-No.: 68937-41-7 EC-No.: 273-066-3 REACH-no: 01-2119535109-41	0 – 1	Repr. 2, H361f STOT RE 2, H373 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

#### Components - Nanoform

Silicon dioxide (112945-52-5)	
Name of (set of) nanoform(s)	Silicon dioxide
Particle shape	Spherical
Crystallinity	amorphous
Additional information	Particle size range : 2.5 - 50 nm

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.
First-aid measures after inhalation	: To our knowledge, the product does not present any particular risk, under normal conditions of use.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Seek medical advice (show the label where possible).
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice (show the label where possible).

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after ingestion : IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Seek medical advice (show the label where possible).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : To our knowledge, the product does not present any particular risk, under normal conditions of use.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking. irritation (itching, redness, blistering).

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Possible irritation of mucous membranes and digestive tract, nausea, vomiting.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : On burning: release of harmful/irritant gases/vapours. Carbon oxides (CO, CO<sub>2</sub>).

### 5.3. Advice for firefighters

Precautionary measures fire : Protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid spilling the product, as this might cause falls.

#### 6.1.1. For non-emergency personnel

Protective equipment : see section(s) :7 & 8.

Emergency procedures : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

#### 6.1.2. For emergency responders

Protective equipment : see section(s) :7 & 8.

Emergency procedures : For a large spillage, contain the spillage by bunding. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

### 6.4. Reference to other sections

No additional information available

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Stable at ambient temperature and under normal conditions of use.
Precautions for safe handling	: Wear suitable protective clothing. Personal protective equipment. When using do not eat, drink or smoke. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Avoid spilling the product, as this might cause falls. Provide local exhaust or general room ventilation.
Hygiene measures	: When using do not eat or drink. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in dry, cool, well-ventilated area.
Special rules on packaging	: Store in original container. Keep container closed when not in use.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

###### Oil mist

###### EU - Indicative Occupational Exposure Limit (IOEL)

IOEL TWA	5 mg/m <sup>3</sup> 8h
IOEL STEL	10 mg/m <sup>3</sup> 15min

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

###### Disodium sebacate (17265-14-4)

###### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	10 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	35,26 mg/m <sup>3</sup>

###### DNEL/DMEL (General population)

Long-term - systemic effects, oral	5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	8,7 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day

###### PNEC (Water)

PNEC aqua (freshwater)	0,018 mg/l
PNEC aqua (marine water)	0,0018 mg/l

###### PNEC (Sediment)

PNEC sediment (freshwater)	0,548 mg/kg dwt
----------------------------	-----------------

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Disodium sebacate (17265-14-4)</b>	
PNEC sediment (marine water)	0,0548 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0,0988 mg/kg dwt
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	10 mg/l
<b>N-phenyl-1-Naphthylamine (90-30-2)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	0,05 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,18 mg/m³
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,0002 mg/l
PNEC aqua (marine water)	0,00002 mg/l
PNEC aqua (intermittent, freshwater)	0,002 mg/l
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	100 mg/l
<b>Phenol,isopropylated,phosphate (68937-41-7)</b>	
<b>DNEL/DMEL (Workers)</b>	
Acute - systemic effects, dermal	2000 mg/kg bodyweight/day
Acute - systemic effects, inhalation	700 mg/m³
Acute - local effects, dermal	16 mg/cm²
Long-term - systemic effects, dermal	0,416 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,145 mg/m³
<b>DNEL/DMEL (General population)</b>	
Acute - systemic effects, dermal	100 mg/kg bodyweight
Acute - systemic effects, inhalation	350 mg/m³
Acute - systemic effects, oral	50 mg/kg bodyweight
Acute - local effects, dermal	8 mg/cm²
Long-term - systemic effects,oral	0,04 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0,07 mg/m³
Long-term - systemic effects, dermal	0,208 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,00031 mg/l
PNEC aqua (marine water)	0,000031 mg/l
PNEC aqua (intermittent, freshwater)	0,015 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	0,185 mg/kg dwt
PNEC sediment (marine water)	0,0185 mg/kg dwt

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Phenol,isopropylated,phosphate (68937-41-7)

#### PNEC (Soil)

PNEC soil	2,5 mg/kg dwt
-----------	---------------

#### PNEC (Oral)

PNEC oral (secondary poisoning)	1,85 mg/kg food
---------------------------------	-----------------

#### PNEC (STP)

PNEC sewage treatment plant	100 mg/l
-----------------------------	----------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Safety glasses with side shields

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent)

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

No personal breathing protective equipment is normally required

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

##### Environmental exposure controls:

Do not flush into surface water or sewer system.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Appearance	: Pasty.
Odour	: Not available
Odour threshold	: Not available

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point	: 270 °C
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,889 kg/l @20°C
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable
See section 3 for more information about nano properties.	

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

elevated temperature.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Silicon dioxide (112945-52-5)</b>	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5,01 mg/l/4h
<b>Disodium sebacate (17265-14-4)</b>	
LD50 oral rat	> 5000 mg/kg OECD 401
LD50 dermal rat	> 2000 mg/kg OECD 402
<b>N-phenyl-1-Naphthylamine (90-30-2)</b>	
LD50 oral rat	1625 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Phenol,isopropylated,phosphate (68937-41-7)</b>	
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 200 mg/l
Skin corrosion/irritation	: Not classified pH: Not applicable
<b>Silicon dioxide (112945-52-5)</b>	
pH	3,7 – 4,5
<b>Disodium sebacate (17265-14-4)</b>	
pH	7 – 9
Serious eye damage/irritation	: Not classified pH: Not applicable
<b>Silicon dioxide (112945-52-5)</b>	
pH	3,7 – 4,5
<b>Disodium sebacate (17265-14-4)</b>	
pH	7 – 9
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>N-phenyl-1-Naphthylamine (90-30-2)</b>	
STOT-repeated exposure	May cause damage to organs (blood system) through prolonged or repeated exposure.
<b>Phenol,isopropylated,phosphate (68937-41-7)</b>	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
<b>NYCO GREASE GN 05</b>	
Viscosity, kinematic	Not applicable

### 11.2. Information on other hazards

No additional information available



# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

##### Silicon dioxide (112945-52-5)

LC50 - Fish [1]	> 10000 mg/l 96 h: Brachydanio rerio
EC50 - Crustacea [1]	> 1000 mg/l 24h: Daphnia magna
EC50 72h - Algae [1]	> 173 mg/l Desmodesmus subspicatus

##### Disodium sebacate (17265-14-4)

LC50 - Fish [1]	> 18 mg/l 96h: Scophthalmus maximus
EC50 - Crustacea [1]	18 mg/l 48h: Arcatia tonsa (ISO 14669)
EC50 72h - Algae [1]	38,7 mg/l Skeletonema costatum
ErC50 algae	38,7 mg/l 72h: Skeletonema costatum (ISO/DIS 10253)
NOEC chronic algae	3 mg/l 72h: Skeletonema costatum (ISO/DIS 10253)

##### N-phenyl-1-Naphthylamine (90-30-2)

LC50 - Fish [1]	0,44 mg/l 96h
EC50 - Crustacea [1]	0,3 mg/l 48h: Daphnia
EC50 96h - Algae [1]	0,93 mg/l 96h: Pseudokirchneriella subcapitata

##### Phenol, isopropylated, phosphate (68937-41-7)

LC50 - Fish [1]	10,8 mg/l 96h: Pimephales promelas
EC50 - Crustacea [1]	1,5 mg/l 48h: Daphnia magna
EC50 96h - Algae [1]	> 2,5 mg/l 96h: Pseudokirchneriella subcapitata (OECD 201)
NOEC chronic fish	0,0031 mg/l 33d: Pimephales promelas (OECD 210)
NOEC chronic crustacea	0,041 mg/l 21d: Daphnia magna (OECD 211)

#### 12.2. Persistence and degradability

##### NYCO GREASE GN 05

Persistence and degradability	Not established.
-------------------------------	------------------

##### Disodium sebacate (17265-14-4)

Persistence and degradability	Readily biodegradable.
Biodegradation	89 % (28d, seawater, OECD 306)

##### N-phenyl-1-Naphthylamine (90-30-2)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

##### Phenol, isopropylated, phosphate (68937-41-7)

Persistence and degradability	Not readily biodegradable.
Biodegradation	17,9 % 28d

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.3. Bioaccumulative potential

#### Disodium sebacate (17265-14-4)

Partition coefficient n-octanol/water (Log Kow)	-4,9
---	------

#### N-phenyl-1-Naphthylamine (90-30-2)

Partition coefficient n-octanol/water (Log Pow)	4,47 estimated
Bioaccumulative potential	No bioaccumulation potential.

### 12.4. Mobility in soil

#### Disodium sebacate (17265-14-4)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,4
--	-----

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Collect all waste in suitable and labelled containers and dispose according to local legislation. A waste key number according to the European Waste Catalog (EWC) cannot be specified, as this depends on the use.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
Not regulated for transport				
<b>14.2. UN proper shipping name</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

# NYCO GREASE GN 05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains N-phenyl-1-Naphthylamine. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.